ELSEVIER

Volume 203, Issues 1–3, 18 July 2008

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

Multivariate modelling of variability in sheet metal forming 1
T. de Souza, B. Rolfe

Comparison of the experimental and the numerically predicted mechanical damage in the sheet forming of steel 13
I.M. Pereira, G. Rubim, O. Acselrad, P.R. Cetlin

Computational analysis of injection-molding residual-stress development in direct-adhesion polymer-to-metal hybrid body-in-white components 19
M. Grujicic, V. Sellappan, B. Pandurangan, G. Li, A. Vahidi, N. Seyr, M. Erdmann, J. Holzleitner

Large UFG Al alloy plates from cryomilling 37
A.P. Newbery, B. Ahn, T.D. Topping, P.S. Pao, S.R. Nutt, E.J. Lavernia

Characterization of the influences of FSW tool geometry on welding forces and weld tensile strength using an instrumented tool 46
D.G. Hattingh, C. Blignault, T.I. van Niekerk, M.N. James

Advanced CAD integrated approach for 3D electrochemical machining simulations 58
M. Purcar, A. Dorochenko, L. Bortels, J. Deconinck, B. Van den Bossche

An intelligent system for predicting HPDC process variables in interactive environment 72
J.K. Rai, A.M. Lajimi, P. Xirouchakis

The effect of cold work on structure and properties of AISI 304 stainless steel 80
M. Milad, N. Zreiba, F. Elhalouani, C. Baradai

Numerical investigation on multiphase coupling heat conduction with subcooling boiling boundary conditions and effect of shape during quenching process 86
J. Chen, L. Tong, J. Wei, D. Sun

Investigation of tool wear and cutting force in cryogenic machining using design of experiments 95
K.V.B.S. Kalyan Kumar, S.K. Choudhury

Preform optimization of pad section of front axle beam using DEFORM 102
G.D. Satish, N.K. Singh, R.K. Ohdar

An investigation of the wear behaviour of 0.2% C dual phase steels 107
V. Abouei, H. Saghafian, S. Kheirandish, K. Ranjbar

Effect of sintering and melt casting methods on properties of a machinable fluor-phlogopite glass–ceramic 113
S. KhatibZadeh, M. Samedani, B.E. Yekta, S. Hasheminia

Characteristics of diamond-like carbon film deposited by filter arc deposition 117
K.-W. Weng, S. Han, Y.-C. Chen, D.-Y. Wang

Synthesis and characterization of spherical silica precipitated via emulsion route 121
T. Jesionowski

Statistical analysis of finite element modeling in sheet metal forming and springback analysis 129
S.A. Asgari, M. Pereira, B.F. Rolfe, M. Dingle, P.D. Hodgson

Influence of process parameters on shape quality and area fraction in round-to-hexagonal composite wire drawing 137
S. Norasethasopon

(Contents continued on page I)

0924-0136(20080718)203:1/3;1-9

(Contents continued from OBC)

Optimization of machining conditions for effective turning of E0300 alloy steel 147
A. Manna, S. Salodkar

Predicting of the Lüders' bands in the processing of TH material in computer environment by means of stochastic modeling 154
B. Barisic, T. Pepelnjak, M.D. Math

Workpiece surface quality when ultra-precision turning of SiC_p/Al composites 166
Y.F. Ge, J.H. Xu, H. Yang, S.B. Luo, Y.C. Fu

Similarity solutions for flow and heat transfer of a quiescent fluid over a nonlinearly stretching surface 176
R.C. Bataller

Effect of different carbon fillers on the properties of graphite composite bipolar plate 184
R.B. Mathur, S.R. Dhakate, D.K. Gupta, T.L. Dhami, R.K. Aggarwal

Tool and lubrication for negative incremental forming of a commercially pure titanium sheet 193
G. Hussain, L. Gao, N. Hayat, Z. Cui, Y.C. Pang, N.U. Dar

Study of ultrashort laser ablation of metals by molecular dynamics simulation and experimental method 202
X. Liu, W. Zhou, C. Chen, L. Zhao, Y. Zhang

Apparent viscosity prediction of alumina–paraffin suspensions using artificial neural networks 208
D. Torkar, S. Novak, F. Novak

Analysis of the variation regularity of the parameters of the discharge circuit with the distance between workpiece and inductor for electromagnetic forming processes 216
W. Xu, H. Fang, W. Xu

An experimental investigation on contact length during minimum quantity lubrication (MQL) machining 221
B. Tasdelen, H. Thordenberg, D. Olofsson

Advanced and automatic determination of initial configuration of curved shell plates for flame bending 232
C. Ryu, K.S. Kim

Critical assessment and numerical comparison of electro-thermal models in EDM 241
S.H. Yeo, W. Kurnia, P.C. Tan

Prediction of welding distortion in a curved plate structure by means of elastic finite element method 252
D. Deng, H. Murakawa, W. Liang

Experimental identification of a thermo-mechanical model for air bending 267
J.A. Canteli, J.L. Cantero, M.H. Miguélez

Statistical optimization of process parameters to obtain maximum thickness and brightness in chromium plating 277
M. Bayramoglu, B. Onat, N. Geren

Pad roughness variation and its effect on material removal profile in ceria-based CMP slurry 287
B. Park, H. Lee, K. Park, H. Kim, H. Jeong

Effect of cold rolling reduction and intercritical annealing temperature on the bulk texture of two TRIP-aided steel sheets 293
E. Emadoddin, A. Akbarzadeh, G. Daneshi

Scanning electron beam brazing of thin-wall capillary tube–sheet structure 301
Y. Chen, Y. Zhang, S. Yao, F. Lu

Development of the equal-channel angular hydroextrusion 305
V. Spuskanyuk, A. Spuskanyuk, V. Varyukhin

A novel method of electroless plating on AZ31 magnesium alloy sheet 310
H. Zhao, Z. Huang, J. Cui

Corrosion behaviour of laser gas-nitrided Ti–6Al–4V alloy in nitric acid solution 315
R.S. Razavi, M. Salehi, M. Monirvaghefi, G.R. Gordani

An experimental study on the quality of flow-formed AA6061 tubes 321
M. Joseph Davidson, K. Balasubramanian, G.R.N. Tagore

Synthesis and photocatalytic characterization of titania-supported bamboo charcoals by using sol–gel method 326
C.-H. Wu, J.-F. Shr, C.-F. Wu, C.-T. Hsieh

The effect of average cooling rates on the microstructure of the Al–20% Si high pressure die casting alloy used for monolithic cylinder blocks 333
H. Yamagata, W. Kasprzak, M. Aniolek, H. Kurita, J.H. Sokolowski

Evaluation of thrust force and surface roughness in drilling composite material using Taguchi analysis and neural network 342
C.C. Tsao, H. Hocheng

Effect of rolling strain on transformation induced plasticity of austenite to martensite in a high-alloy austenitic steel 349
M. Bigdeli Karimi, H. Arabi, A. Khosravani, J. Samei

Development of a flexible high-speed EDM technology with geometrical transform optimization 355
Y.-f. Tzeng

Experimental analysis on evolution of superfinished surface texture 365
S.-H. Chang, T.N. Farris, S. Chandrasekar

Bending of tube and section made of strain-hardening materials 372
A. El Megharbel, G.A. El Nasser, A. El Domiaty

The determination of flow stress of tubular material for hydroforming applications 381
P. Bortot, E. Ceretti, C. Giardini

Influence of a modulated electromagnetic field on fouling in a double-pipe heat exchanger 389
A. Shahryari, M. Pakshir

Preparation of fatigue specimens with controlled surface characteristics 396
M. Kuroda, T.J. Marrow

Aging effect on thermal, mechanical and tribological behaviour of polymeric coatings used for pipeline application 404
N. Guermazi, K. Elleuch, H.F. Ayedi, P. Kapsa

Experimental and numerical investigation of the plunge stage in friction stir welding 411
S. Mandal, J. Rice, A.A. Elmustafa

Empirical modelling of grinding force based on multivariate analysis 420
Q. Liu, X. Chen, Y. Wang, N. Gindy

Analysis of parametric influence on delamination in high-speed drilling of carbon fiber reinforced plastic composites 431
V.N. Gaitonde, S.R. Karnik, J.C. Rubio, A.E. Correia, A.M. Abrão, J.P. Davim

Shaped metal deposition of a nickel alloy for aero engine applications 439
D. Clark, M.R. Bache, M.T. Whittaker

Precision control of explosive forming for metallic decorating sphere 449
Z. Tong, Z. Li, B. Cheng, R. Zhang

Statistical modeling of the electrical characteristics for HfO_2 thin films grown by MOMBE for high-k dielectric applications 454
J.H. Lee, K.E. Kweon, Y.-D. Ko, T.-H. Moon, J.-M. Myoung, I. Yun

The characteristics of cutting pipe mechanism with multi-electrodes in EDM 461
S.L. Chen, M.H. Lin, S.F. Hsieh, S.Y. Chiou

Effect of natural zeolite addition on sintering kinetics of porcelain bodies 465
A.Ş. Demirkiran, R. Artir, E. Avci

Modeling of gas flow inside and outside the nozzle used in spray deposition 471
M. Jeyakumar, G.S. Gupta, S. Kumar

Metal ductility at low stress triaxiality application to sheet trimming 480
A. Bacha, D. Daniel, H. Klocker

Process optimization in laser surface structuring of alumina 498
A.N. Samant, S.R. Paital, N.B. Dahotre

Studies on compositionally graded silicon carbide dispersed composite surface on mild steel developed by laser surface cladding 505
J. Dutta Majumdar, B. Ramesh Chandra, A.K. Nath, I. Manna

Microwave sintering of alumina–zirconia nanocomposites 513
R.R. Menezes, R.H.G.A. Kiminami

Comparison of recrystallization behaviour of cold deformed acicular ferrite produced by conventional processing and direct strip casting 518
W. Xu, M. Ferry

Electrophoretic deposition of $Ba_{0.77}Ca_{0.23}TiO_3$ nanopowders 526
E. Antonelli, R.S. Silva, F.S. de Vicente, A.R. Zanatta, A.C. Hernandes

Application of a combined heating system for the warm hydroforming of lightweight alloy tubes 532
H.K. Yi, E.J. Pavlina, C.J. Van Tyne, Y.H. Moon

Drilling investigation of MDF (medium density fibreboard) 537
J.P. Davim, V.C. Clemente, S. Silva

Some investigation on the cold deformation behaviour of sintered iron–0.8% carbon alloy powder preforms ... 542
A.R. Kannan, K.S. Pandey, S. Shanmugam

A novel finned micro-groove array structure and forming process 548
Y. Tang, Y. Chi, Z.-P. Wan, X.-K. Liu, J.-C. Chen, X.-X. Deng, L. Liu

Characterization of mechanically alloyed $Fe_{100-x}Si_x$ and $Fe_{83.5}Si_{13.5}Nb_3$ nanocrystalline powders 554
S. Miraghaei, P. Abachi, H.R. Madaah-Hosseini, A. Bahrami

Author index 561

Subject index 563